



上海秀乐化工科技有限公司

Shanghai Supercolor Chemical Technology Co.,Ltd

PROPERTY & APPLICATION

Colour Index	Supercolor's Name	Fastness (PS)			Range Of Application							
		Melting Point (° C)	Light Fastness	Heat Resistance (° C)	PS	ABS	PC	UPVC	PMMA	SAN	PA6	PET
Solvent Red 23	Supersolv Red GR	195	5~6	280	★	x	x	x	★	★	x	x
Vat Red 41	Supersolv Red H5B	312	6	300	★	☆	★	★	★	★	x	☆
Solvent Red 52	Supersolv Red 5B	270	6	300	★	★	★	★	★	★	★	★
Solvent Red 111	Supersolv Red GS	170	6~7	300	★	★	★	★	★	☆	☆	★
Solvent Red 135	Supersolv Red EG	307	8	300	★	★	★	★	★	★	☆	★
Solvent Red 149	Supersolv Red G	267	5	300	★	★	★	★	★	★	☆	☆
Solvent Red 179	Supersolv Red R	251	8	300	★	★	★	★	★	★	☆	★
Solvent Red 195	Supersolv Red BB	260	7	300	★	☆	★	x	★	★	x	★
Solvent Red 196	Supersolv Red BK	247	5	300	★	★	★	★	★	★	x	★
Solvent Red 197	Supersolv Red FBP	245	5	300	★	★	★	★	★	★	x	★
Solvent Red 207	Supersolv Red BH	243	8	300	★	★	★	★	★	★	x	★
Solvent Red H	Supersolv Red H	175	5~6	280	★	★	★	★	★	★	☆	★
Solvent Yellow 93	Supersolv Yellow 3G	181	7	300	★	x	★	★	★	★	x	★
Solvent Yellow 98	Supersolv Yellow 3R	267	6	300	★	★	★	★	★	★	x	★
Solvent Yellow 114	Supersolv Yellow G	265	8	300	★	★	★	★	★	★	x	★
Pigment Yellow 147	Suplasto Yellow RN	358	8	280	★	★	★	★	★	★	☆	★
Solvent Yellow 160:1	Supersolv Yellow 10GN	210	6	280	★	★	★	★	★	★	☆	★
Solvent Yellow 163	Supersolv Yellow 5R	187	8	300	★	★	★	★	★	★	x	★
Solvent Yellow 4G	Supersolv Yellow 4G	254	7	300	★	x	★	x	★	★	x	★
Solvent Orange 60	Supersolv Orange 3G	232	8	300	★	★	★	★	★	★	☆	★
Solvent Orange 63	Supersolv Orange GG	314	6	290	★	★	★	★	★	★	☆	★
Solvent Orange 107	Supersolv Orange R	224	7	300	★	★	★	★	★	★	x	★
Solvent Blue 35	Supersolv Blue B01	113	5	280	★	☆	☆	☆	★	☆	x	☆

Solvent Blue 97	Supersolv Blue RR	/	/	/	★	★	★	★	★	★	☆	★
Solvent Blue 104	Supersolv Blue 2R	240	7	300	★	★	★	★	★	★	☆	★
Solvent Blue 122	Supersolv Blue 5R	280	7	300	★	★	★	★	★	★	x	★
Solvent Blue 3R	Supersolv Blue 3R	167	7	300	★	★	★	★	★	★	☆	★
Solvent Green 3	Supersolv Green 5B	220	7~8	300	★	★	★	★	★	★	x	★
Solvent Green 5	Supersolv Green 8GF	205	6	260	★	★	★	★	★	★	☆	★
Solvent Green 28	Supersolv Green 6G	245	7~8	300	★	★	★	★	★	★	x	★
Solvent Violet 13	Supersolv Violet B	170	7	300	★	★	★	★	★	★	x	★
Solvent Violet 59	Supersolv Violet R	186	7~8	260	★	★	★	★	★	★	x	★

Please note:

This information is based on our present state of knowledge and is intended to provide general notes on our products and their uses. It should not therefore be construed as guaranteeing specific properties of the products described or their suitability for a particular application.

★: suitable

☆: suitable with restrictions

x: Not recommended